ELSEVIER

Brain Research 825 (1999) 208–209

BRAIN RESEARCH

Author Index

Adler, L.E., see Moxon, K.A. (825) 75
Aghajanian, G.K. and Marek, G.J.
Serotonin, via 5-HT_{2A} receptors, increases EPSCs in layer V pyramidal cells of prefrontal cortex by an asynchronous mode of glutamate release (825) 161
Alcayaga, J., Barrios, M., Bustos, F., Miranda, G., Molina, M.J. and Iturriaga, R.
Modulatory effect of nitric oxide on acetylcholine-induced activation of cat petrosal ganglion neurons in vitro (825) 194
Alescio-Lautier, B., see Paban, V. (825) 115
Ariga, T., see Ren, J. (825) 183
Armstead, W.M.
Stimulus duration modulates the interaction between opioids and nitric oxide in hypoxic pial artery dilation (825) 68
Asselin, J., see Thornhill, J. (825) 36
Austin, K., see Moxon, K.A. (825) 75
Ayajiki, K., Hayashida, H., Okamura, T. and Toda, N.
Influence of denervation on neurogenic inhibitory response of corpus cavernosum and nitric oxide synthase histochemistry (825) 14

Ballou, L.R., see Li, S. (825) 86
Barrios, M., see Alcayaga, J. (825) 194
Bickford, P.C., see Moxon, K.A. (825) 75
Blatteis, C.M., see Li, S. (825) 86
Bonnin, A., Grimaldi, B., Fillion, M.-P. and Fillion, G.
Acute stress induces a differential increase of 5-HT-moduline (LSAL) tissue content in various rat brain areas (825) 152
Bouyer, L., see Gossard, J.-P. (825) 132
Bradberry, C.W., see Gruen, R.J. (825) 180
Bustos, F., see Alcayaga, J. (825) 194

Caldarola-Pastuszka, M., see Wolf, A. (825) 146
Chardin, S., see Romand, R. (825) 46

Dalkara, T., see Saka, E. (825) 104
DeLashaw, M., see Wolf, A. (825) 146
Devigne, C., see Paban, V. (825) 115

Elibol, B., see Saka, E. (825) 104
Emerson, M.R., Nelson, S.R., Samson, F.E. and Pazdernik, T.L.
Hypoxia preconditioning attenuates brain edema associated with kainic acid-induced status epilepticus in rats (825) 189
Erdem, S., see Saka, E. (825) 104

Fillion, G., see Bonnin, A. (825) 152
Fillion, M.-P., see Bonnin, A. (825) 152
Fisk, G.D. and Wyss, J.M.
Associational projections of the anterior midline cortex in the rat: intracingulate and retrosplenial connections (825) 1
Friedhoff, A.J., see Gruen, R.J. (825) 180
Fryer, J., see Peng, J.-H. (825) 172
Fu, K.-Y., Light, A.R., Matsushima, G.K. and Maixner, W.
Microglial reactions after subcutaneous formalin injection into the rat hind paw (825) 59

Gerhardt, G.A., see Moxon, K.A. (825) 75
Gerstberger, R., see Hübschle, T. (825) 22
Gossard, J.-P., Bouyer, L. and Rossignol, S.
The effects of antidromic discharges on orthodromic firing of primary afferents in the cat (825) 132
Grimaldi, B., see Bonnin, A. (825) 152
Gruen, R.J., Stoker, S., Friedhoff, A.J. and Bradberry, C.W.
Effects of repeated amphetamine treatment on regional $GABA_A$ receptor binding (825) 180
Gupta, P.D., see Jagota, A. (825) 95

Harinarayana Rao, S., see Jagota, A. (825) 95
Hayashida, H., see Ayajiki, K. (825) 14
Herl, J., see Peng, J.-H. (825) 172
Hübschle, T., Küchenmeister, I. and Gerstberger, R.
Central action of nitric oxide in the saltwater-acclimated duck: modulation of extrarenal sodium excretion and vasotocin release (825) 22

Ihara, Y., see Ren, J. (825) 183
Iturriaga, R., see Alcayaga, J. (825) 194

Jagota, A., Olcese, J., Harinarayana Rao, S. and Gupta, P.D.
Pineal rhythms are synchronized to light–dark cycles in congenitally anophthalmic mutant rats (825) 95

Kawano, H. and Masuko, S.
Catecholaminergic and neuropeptide Y-immunoreactive synaptic inputs onto median preoptic nucleus neurons projecting to the ventrolateral medullary catecholaminergic area in the rat (825) 204
Kelley, A.E., see Stratford, T.R. (825) 199
Küchenmeister, I., see Hübschle, T. (825) 22

Leonard, S.S., see Peng, J.-H. (825) 172
Li, S., Wang, Y., Matsumura, K., Ballou, L.R., Morham, S.G. and Blatteis, C.M.
The febrile response to lipopolysaccharide is blocked in cyclooxygenase-$2^{-/-}$, but not in cyclooxygenase-$1^{-/-}$ mice (825) 86
Light, A.R., see Fu, K.-Y. (825) 59
Lucero, L., see Peng, J.-H. (825) 172
Lukas, R.J., see Peng, J.-H. (825) 172

Maixner, W., see Fu, K.-Y. (825) 59
Marek, G.J., see Aghajanian, G.K. (825) 161
Masuko, S., see Kawano, H. (825) 204
Matsumura, K., see Li, S. (825) 86
Matsushima, G.K., see Fu, K.-Y. (825) 59
Miranda, G., see Alcayaga, J. (825) 194
Miyatake, T., see Ren, J. (825) 183
Molina, M.J., see Alcayaga, J. (825) 194
Morham, S.G., see Li, S. (825) 86
Moxon, K.A., Gerhardt, G.A., Bickford, P.C., Austin, K., Rose, G.M., Woodward, D.J. and Adler, L.E.
Multiple single units and population responses during inhibitory gating of hippocampal auditory response in freely-moving rats (825) 75

Nelson, S.R., see Emerson, M.R. (825) 189

Okamura, T., see Ayajiki, K. (825) 14
Olcese, J., see Jagota, A. (825) 95

Paban, V., Alescio-Lautier, B., Devigne, C. and Soumireu-Mourat, B.
Fos protein expression induced by intracerebroventricular injection of vasopressin in unconditioned and conditioned mice (825) 115
Pazdernik, T.L., see Emerson, M.R. (825) 189
Peng, J.-H., Lucero, L., Fryer, J., Herl, J., Leonard, S.S. and Lukas, R.J.
Inducible, heterologous expression of human α7-nicotinic acetylcholine receptors in a native nicotinic receptor-null human clonal line (825) 172

Ren, J., Utsunomiya, I., Taguchi, K., Ariga, T., Tai, T., Ihara, Y. and Miyatake, T.
Localization of verotoxin receptors in nervous system (825) 183

ELSEVIER

Brain Research 825 (1999) 208–209

BRAIN RESEARCH

Author Index

Adler, L.E., see Moxon, K.A. (825) 75
Aghajanian, G.K. and Marek, G.J.
Serotonin, via 5-HT_{2A} receptors, increases EPSCs in layer V pyramidal cells of prefrontal cortex by an asynchronous mode of glutamate release (825) 161
Alcayaga, J., Barrios, M., Bustos, F., Miranda, G., Molina, M.J. and Iturriaga, R.
Modulatory effect of nitric oxide on acetylcholine-induced activation of cat petrosal ganglion neurons in vitro (825) 194
Alescio-Lautier, B., see Paban, V. (825) 115
Ariga, T., see Ren, J. (825) 183
Armstead, W.M.
Stimulus duration modulates the interaction between opioids and nitric oxide in hypoxic pial artery dilation (825) 68
Asselin, J., see Thornhill, J. (825) 36
Austin, K., see Moxon, K.A. (825) 75
Ayajiki, K., Hayashida, H., Okamura, T. and Toda, N.
Influence of denervation on neurogenic inhibitory response of corpus cavernosum and nitric oxide synthase histochemistry (825) 14

Ballou, L.R., see Li, S. (825) 86
Barrios, M., see Alcayaga, J. (825) 194
Bickford, P.C., see Moxon, K.A. (825) 75
Blatteis, C.M., see Li, S. (825) 86
Bonnin, A., Grimaldi, B., Fillion, M.-P. and Fillion, G.
Acute stress induces a differential increase of 5-HT-moduline (LSAL) tissue content in various rat brain areas (825) 152
Bouyer, L., see Gossard, J.-P. (825) 132
Bradberry, C.W., see Gruen, R.J. (825) 180
Bustos, F., see Alcayaga, J. (825) 194

Caldarola-Pastuszka, M., see Wolf, A. (825) 146
Chardin, S., see Romand, R. (825) 46

Dalkara, T., see Saka, E. (825) 104
DeLashaw, M., see Wolf, A. (825) 146
Devigne, C., see Paban, V. (825) 115

Elibol, B., see Saka, E. (825) 104
Emerson, M.R., Nelson, S.R., Samson, F.E. and Pazdernik, T.L.
Hypoxia preconditioning attenuates brain edema associated with kainic acid-induced status epilepticus in rats (825) 189
Erdem, S., see Saka, E. (825) 104

Fillion, G., see Bonnin, A. (825) 152
Fillion, M.-P., see Bonnin, A. (825) 152
Fisk, G.D. and Wyss, J.M.
Associational projections of the anterior midline cortex in the rat: intracingulate and retrosplenial connections (825) 1
Friedhoff, A.J., see Gruen, R.J. (825) 180
Fryer, J., see Peng, J.-H. (825) 172
Fu, K.-Y., Light, A.R., Matsushima, G.K. and Maixner, W.
Microglial reactions after subcutaneous formalin injection into the rat hind paw (825) 59

Gerhardt, G.A., see Moxon, K.A. (825) 75
Gerstberger, R., see Hübschle, T. (825) 22
Gossard, J.-P., Bouyer, L. and Rossignol, S.
The effects of antidromic discharges on orthodromic firing of primary afferents in the cat (825) 132
Grimaldi, B., see Bonnin, A. (825) 152
Gruen, R.J., Stoker, S., Friedhoff, A.J. and Bradberry, C.W.
Effects of repeated amphetamine treatment on regional $GABA_A$ receptor binding (825) 180
Gupta, P.D., see Jagota, A. (825) 95

Harinarayana Rao, S., see Jagota, A. (825) 95
Hayashida, H., see Ayajiki, K. (825) 14
Herl, J., see Peng, J.-H. (825) 172
Hübschle, T., Küchenmeister, I. and Gerstberger, R.
Central action of nitric oxide in the saltwater-acclimated duck: modulation of extrarenal sodium excretion and vasotocin release (825) 22

Ihara, Y., see Ren, J. (825) 183
Iturriaga, R., see Alcayaga, J. (825) 194

Jagota, A., Olcese, J., Harinarayana Rao, S. and Gupta, P.D.
Pineal rhythms are synchronized to light–dark cycles in congenitally anophthalmic mutant rats (825) 95

Kawano, H. and Masuko, S.
Catecholaminergic and neuropeptide Y-immunoreactive synaptic inputs onto median preoptic nucleus neurons projecting to the ventrolateral medullary catecholaminergic area in the rat (825) 204
Kelley, A.E., see Stratford, T.R. (825) 199
Küchenmeister, I., see Hübschle, T. (825) 22

Leonard, S.S., see Peng, J.-H. (825) 172
Li, S., Wang, Y., Matsumura, K., Ballou, L.R., Morham, S.G. and Blatteis, C.M.
The febrile response to lipopolysaccharide is blocked in cyclooxygenase-$2^{-/-}$, but not in cyclooxygenase-$1^{-/-}$ mice (825) 86
Light, A.R., see Fu, K.-Y. (825) 59
Lucero, L., see Peng, J.-H. (825) 172
Lukas, R.J., see Peng, J.-H. (825) 172

Maixner, W., see Fu, K.-Y. (825) 59
Marek, G.J., see Aghajanian, G.K. (825) 161
Masuko, S., see Kawano, H. (825) 204
Matsumura, K., see Li, S. (825) 86
Matsushima, G.K., see Fu, K.-Y. (825) 59
Miranda, G., see Alcayaga, J. (825) 194
Miyatake, T., see Ren, J. (825) 183
Molina, M.J., see Alcayaga, J. (825) 194
Morham, S.G., see Li, S. (825) 86
Moxon, K.A., Gerhardt, G.A., Bickford, P.C., Austin, K., Rose, G.M., Woodward, D.J. and Adler, L.E.
Multiple single units and population responses during inhibitory gating of hippocampal auditory response in freely-moving rats (825) 75

Nelson, S.R., see Emerson, M.R. (825) 189

Okamura, T., see Ayajiki, K. (825) 14
Olcese, J., see Jagota, A. (825) 95

Paban, V., Alescio-Lautier, B., Devigne, C. and Soumireu-Mourat, B.
Fos protein expression induced by intracerebroventricular injection of vasopressin in unconditioned and conditioned mice (825) 115
Pazdernik, T.L., see Emerson, M.R. (825) 189
Peng, J.-H., Lucero, L., Fryer, J., Herl, J., Leonard, S.S. and Lukas, R.J.
Inducible, heterologous expression of human α7-nicotinic acetylcholine receptors in a native nicotinic receptor-null human clonal line (825) 172

Ren, J., Utsunomiya, I., Taguchi, K., Ariga, T., Tai, T., Ihara, Y. and Miyatake, T.
Localization of verotoxin receptors in nervous system (825) 183

Romand, R. and Chardin, S.
Effects of growth factors on the hair cells after ototoxic treatment of the neonatal mammalian cochlea in vitro (825) 46
Rose, G.M., see Moxon, K.A. (825) 75
Rossignol, S., see Gossard, J.-P. (825) 132

Saka, E., Elibol, B., Erdem, S. and Dalkara, T.
Compartmental changes in expression of c-Fos and FosB proteins in intact and dopamine-depleted striatum after chronic apomorphine treatment (825) 104
Samson, F.E., see Emerson, M.R. (825) 189
Simansky, K.J., see Stratford, T.R. (825) 199
Soumireu-Mourat, B., see Paban, V. (825) 115
Stoker, S., see Gruen, R.J. (825) 180
Stratford, T.R., Kelley, A.E. and Simansky, K.J.
Blockade of $GABA_A$ receptors in the medial ventral pallidum elicits feeding in satiated rats (825) 199

Taguchi, K., see Ren, J. (825) 183
Tai, T., see Ren, J. (825) 183
Thornhill, J. and Asselin, J.
The effect of head cooling on the physiological responses and resultant neural damage to global hemispheric hypoxic ischemia in prostaglandin E_2 treated rats (825) 36
Toda, N., see Ayajiki, K. (825) 14

Uphouse, L., see Wolf, A. (825) 146
Utsunomiya, I., see Ren, J. (825) 183

Wang, Y., see Li, S. (825) 86
Wolf, A., Caldarola-Pastuszka, M., DeLashaw, M. and Uphouse, L.
$5\text{-}HT_{2C}$ receptor involvement in female rat lordosis behavior (825) 146
Woodward, D.J., see Moxon, K.A. (825) 75
Wyss, J.M., see Fisk, G.D. (825) 1